



ORTİMOBİL

Premium Electric Cars
Lüks Elektrikli Arabalar



X
ALEXA

AKY
GROUP

About Us

Hakkımızda

www.ortimobil.com



Production and Assembly Factory - Üretim ve Montaj Fabrikası

ORTİMOBİL is a company that focuses on electrical energy and produces vehicles that adapt to the new era. ORTİMOBİL manufactures electric golf cart models, 4-wheel electric utility vehicles in L7 standards, and ALEXA branded passenger cars. It carries out the production in its factory and showroom located in Mersin-Tarsus 2nd Organized Industrial Zone, with a total area of 12,000 m².

ORTİMOBİL was established with 100% domestic fund. Except the carrier equipment, high-quality batteries, wheels and shock absorbers, it is completely local in the production of parts such as chassis, bodywork and composite, ABS, aluminum body, software technology and assembly services.

The produced vehicles are subjected to tests to ensure their quality and reliability.

The company, which has the capacity to produce 1000 electric vehicles per year in order to use in hotels, factories, universities, hospitals, theme parks, holiday villages, airports, etc. with its environmentally friendly technology and it has taken a place in city life.

ORTİMOBİL is on the road as one of Turkey's leading companies in electric vehicle production!



Ortimobil Showroom - Satış ve Showroom

ORTİMOBİL, elektrik enerjisini merkeze alan ve çağı yakalayan taşıtlar üreten bir şirkettir. Elektrik gücü ile çalışan “golf arabası modelleri” ve 4 tekerlekli L7 standartlarında “elektrikli hizmet araçları” ile “ALEXA markalı binek araçlar” üreten Ortimobil, Mersin- Tarsus 2. Organize Sanayi Bölgesinde bulunan üretim ve showroom fabrikalarında, toplam 12bin metrekarelik alanda üretim yapmaktadır.

Yüzde yüz yerli sermaye ile kurulan ORTİMOBİL, yüksek kalite batarya; tekerlek, amortisör gibi taşıyıcı ekipmanların dışında kalan; şasi, karoser ve kompozit, ABS, alüminyum gövde gibi parçaların üretiminde ve yazılım teknolojisi ile montaj hizmetlerinde yerlidir.

Üretilen araçlar, testlere tabi tutularak kalitesi ve güvenilirliğinden emin olunur.

Yılda 1000 adet elektrikli taşıt üretebilme kapasitesine sahip olan şirket, çevre dostu teknolojisi ile oteller, fabrikalar, üniversiteler, hastaneler, tema parkları, tatil köyleri, havaalanları vb. ve şehir hayatının içerisinde kendine yer edinmiştir.

ORTİMOBİL, Türkiye'nin elektrikli taşıt yolculuğunda, öncü kuruluşlardan biri olarak yollarda!



Ortimobil reserves the right to make changes to the parts and accessories purchased // Ortimobil, satınaldığı parça ve aksesuarlarda, değişiklik yapma hakkına sahiptir.

Why Premium? *Neden Lüks?*



Nerf Bar / **Yan Basamak**



Solar Panel / **Güneş Paneli**



Led Side Mirror
Hayalet LED Işıklar



Wiper / **Silecek**




Speedometer / **Dijital Gösterge**



Lifted / **Yükseltilmiş**



Premium Leather Seats
Lüks Deri Koltuklar



Hydraulic Brake Pedal
Hidrolik Fren Pedalı



12 inch Aluminum Rim Tire
12 inçAlüminyumJant - OffRoadLastığı

Why Premium? *Neden Lüks?*



Stereo System with 2 Speakers

Bluetooth, USB port, SD card input, radio, AUX input

2 Hoparlörlü Ses Sistemi

Bluetooth, USB portu, hafıza kartı girişi, radyo, AUX girişi



Sport Steering Wheel

Spor Direksiyon



5 Panel Inner View Mirror

5 Panelli İç Dikiz Aynası



Brush Guard / Ön Koruma Paneli



Led Headlight / Led Far



Seat Belt / Emniyet Kemerini



Sun Protect / Güneşlik



Waterproof Rain Cover
Su Geçirmez Yağmurluk



Backup Camera
Geri Görüş Kamerası

OM-100B

RÜZGAR

693.500 TL

CE



48 V 105 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25 %
Climbing Clearance
Tırmanma Açısı



Cargo Box
Taşıma Kutusu

OM-100B

RÜZGAR

General Specification / Genel Özellikler

Weight / Ağırlık	695 kg
Battery / Batarya	Lityum Batarya 48V 105A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Rear Cargo Bed / Arka Taşıma Kutusu	Dimension 600*1100*230 mm, carry capacity 100 KGS
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	2 / 2+2
Driving Distance /Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	25%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	2610*1260*1970
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	1670 mm
Front Wheel Tread / Ön Aks Mesafesi	950 mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

Configration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers) , USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED Lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	Black and red
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED side view mirror & inner 5 panel view mirror



CARGO BOX

TAŞIMA KUTUSU

OM-100U-KARGO

KEREM

640.000 TL

CE



48 V 105 Ah Lithium
Battery
Batarya



60 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25%
Climbing Clearance
Tırmanma Açısı



Cargo Box
Kargo Kutusu

747.500 TL

OPEN-ENCLOSED PLATFORM

AÇIK-KAPALI KASA



BIG CARGO

BÜYÜK KARGO KUTUSU

General Specification / Genel Özellikler

Weight / Ağırlık	760 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 30A
Rear Cargo Bed / Kargo Kutusu Boyutu ve Taşıma Kapasitesi	1400*1120*310 mm 500 KGS, auto tipping
Suspension / Süspansiyon	McPherson independent suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	2
Driving Distance / Sürüş Mesafesi	65 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius/ Minimum Dönüş Yarıçapı	4.5m
Max. Climbing Ability / Maksimum Tırmanma Açısı	25%
Ground Clearance / Yerden Yükseklik	110 mm
Overall Dimensions / Boyutlar	3530*1210*1880 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	2420mm
Front Wheel Tread / Ön Aks Mesafesi	1060mm
Rear Wheel Tread / Arka Aks Mesafesi	1060mm
Tires / Lastikler	12 inch aluminium rim with 20 inch low profile heavy duty tire
Braking Distance / Fren Mesafesi	6m

OM-100U-KARGO

KEREM

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers) , USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED Lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rain Cover / Yağmurluk	Transparent rain cover
Rear Axle / Arka Aks	Integrated
Premium Seat / Premium Koltuk	Black and red
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	LED side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	Sports steering wheel
Front Panel / Ön Koruma	Front protective panel (brush guard)

OM-100U-KARGO

KEREM

747.500 TL

***Needs - Based Electric Service
Vehicle in Production Area...***

***Üretim Alanlarında, İhtiyaç Odaklı
Elektrikli Hizmet Aracı...***



48 V 150 Ah Lithium
Battery
Batarya



60 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25%
Climbing Clearance
Tırmanma Açısı



Cargo Box
Kargo Kutusu

OM-100U-KARGO

KEREM



OM-100+2
ASİL

800.000 TL

CE



48 V 105 Ah Lithium
Battery
Batarya




70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25%
Climbing Clearance
Tırmanma Açısı



Flip Flop Seats
2 Yönlü Koltuk

OM-100+2

ASİL



FLIP FLOP SEATS

Seating and Luggage
Putting Possibility

2 YÖNLÜ KOLTUK

Oturma ve Bagaj
Koyma İmkani

21.500 TL



General Specification / Genel Özellikler

Weight / Ağırlık	740 kg
Battery / Batarya	Lityum Batarya 48V 105A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	25%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3160*1260*2050 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	1670 mm
Front Wheel Tread / Ön Aks Mesafesi	950 mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	White and red
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	Sports steering wheel

OM-200B

HAZEL

771.500 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



65 km
Driving Distance
Sürüş Mesafesi



20 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı

OM-200B

HAZEL



+2 SEATS

+2 KOLTUK

General Specification / Genel Özellikler

Weight / Ağırlık	820 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 30A
Rear Cargo Bed / Arka Kargo Kutusu Boyutu ve Taşıma Kapasitesi	600*1100*230 mm 170 KGS
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	4 / 4+2
Driving Distance / Sürüş Mesafesi	65 km
Max. Speed / Maksimum Hız	20 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	4.5m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3774*1260*2075mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	2420mm
Front Wheel Tread / Ön Aks Mesafesi	950mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 20 inch low profile heavy duty tire
Braking Distance / Fren Mesafesi	6m

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (bluetooth control player + 2 speakers) , USB port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic with solar panel
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	White and red
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	Sports steering wheel

OM-300B

YAĞIZ

806.000 TL

CE



48 V 150 Ah Lithium
Battery
Batarya




60 km
Driving Distance
Sürüş Mesafesi



20 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı



Solar Panel
Güneş Paneli

OM-300B

YAĞIZ

General Specification / Genel Özellikler

Weight / Ağırlık	880 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 30A
Rear Cargo Bed / Arka Kargo Kutusu Boyutu ve Taşıma Kapasitesi	Dimension 600*1100*230 mm, carry capacity 100 KGS
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	6 / 6+2
Driving Distance / Sürüş Mesafesi	60 km
Max. Speed / Maksimum Hız	20 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	4.5m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Ground Clearance / Yerden Yükseklik	110 mm
Overall Dimensions / Boyutlar	4280*1180*1870mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	2420mm
Front Wheel Tread / Ön Aks Mesafesi	950mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 20 inch low profile heavy duty tire
Braking Distance / Fren Mesafesi	6m

Configration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers) , USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic with solar panel
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rain Cover / Yağmurluk	Transparent rain cover
Rear Axle / Arka Aks	Integrated
Premium Seat / Premium Koltuk	Black and red
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	Sports steering wheel
Front Panel / Ön Koruma	Front protective panel (brush guard)



+2 SEATS

+2 KOLTUK

T-200

TRAFFIC

800.000 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25%
Climbing Clearance
Tırmanma Açısı



TRAFFIC SYSTEM APPROVALS WITH EEC HOMOLOGATION

This model has a roadworthiness certificate and is proof tested.

HOMOLOGASYON ONAYLI, TİP ONAY BELGELİ

Bu model, trafik uygunluk belgesine sahiptir. Güvenlik onaylıdır.

90.000 TL

General Specification / Genel Özellikler

Weight / Ağırlık	695 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Rear Cargo Bed / Arka Taşıma Kutusu	Dimension 600*1100*230 mm, carry capacity 100 KGS
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	2
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	25%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	2610*1260*1970
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	1670 mm
Front Wheel Tread / Ön Aks Mesafesi	950 mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

T-100 / T-200 TRAFFIC

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers) , USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED Lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Rain Cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	Black - red - white
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	LED side view mirror

T-100 / T-200

TRAFFIC

* SPECIAL FOR ORTI-100T / ORTI-100T MODELİNE ÖZEL

- Standard Vehicle Glass / Standart Araç Camı (EC Sertifikalı)
- Golf Cart Fastening Strap / Golf Sabitleme Kemer
- Wind and Rain Cover / Yan Branda (Yağmur ve Rüzgardan Koruma)
- Hare and Tortoise Options With Two Speed Levels
- Çift Hız Kademesi (Tavşan ve Kaplumbağa Seçenekleri)
- Windscreen Washer and Wiper / Ön Cam Suyu Ve Silecek
- Extra Rear Stop Led Lamp / Arka Ekstra Fren Led Lambası
- Electrical Emergency Stop Button / Acil Elektrik Kesici Buton
- Locking Cover For Batteries / Aküler İçin Kilitli Kapak
- Steering Wheel Lock / Direksiyon Kilidi
- Lockable Front Dash Glove Box / Ön Göğüs Kilitli Torpido
- Illuminated Rear Number Plate / Işıklı Arka Plakalık
- Lockable Front Dash Glove Box / Ön Göğüs Kilitli Torpido
- Driver Seat Safety Sensor / Sürücü Koltuk Güvenlik Sensörü

*OPTIONAL / OPSİYONEL

- Reverse Seat / Ters Koltuk
- Lithium Battery / Lityum Batarya (EKT)
- 60AX2=120A - 120 Km Range
- 60AX3=180A - 180 Km Range
- Gel Battery / Jel Batarya (Leoch Battery)
- Golf Chassis / Golf Şasesi
- Transport Box / Taşıma Kutusu (50 Kg)



Gel Battery
Jel Batarya
70Km



Lithium Battery
Lityum Batarya
90Km



Golf Cart Fastening Strap
**Golf Sepeti Sabitleme
Kemer**



Wind and Rain Cover
Yan Branda



Hare and Tortoise Options
With Speed Levels
Çift Hız Kademesi



Led Rear Number Plate
Işıklı Arka Plakalık



Windscreen Washer and Wiper
Ön Cam Suyu ve Silecek



Extra Rear Stop Led Lamp
Arka Ekstra Fren Led Lamba



Electrical Emergency Stop Button
Acil Elektrik Kesici Buton



Reflector
Reflektör



Locking Cover For Batteries
Aküler İçin Kilitli Kapak



Steering Wheel Lock
Direksiyon Kiliti




Lockable Front Dash Glove Box
Sürücü Koltuk Güvenlik Sensörü

OM-200P

PREMIUM

CE

793.500 TL



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı

KONFORLU KOLTUK DÜZENİ COMFORTABLE SEAT ARRANGEMENT



YOKUŞ VE KALKIŞ İÇİN MANYETİK EL FRENİ MAGNETIC BRAKE FOR VEHICLE LAUNCH AND HILL STARTS



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

OM-200P PREMIUM

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

OM-200P
PREMIUM

CE



LIFTED BODY

YÜKSELTİLMİŞ GÖVDE

General Specification / Genel Özellikler

AC 48V 5 KW Motor / AC 48V 5 KW Motor

Marshall Controller 48V 450A / Marshall Kontrol Cihazı 48V 450A

Lithium Battery 48V 150A / Lityum Batarya 48V 150A

On Board Charger 48V 20A / Araç Üstü Şarj Cihazı 48V 20A

DOT Glass Windshield with Wiper / Silecekli DOT Cam Rüzgarlık

LED Side View Mirror & Inner 5 Panel View Mirror / LED Yan Görüş Aynası ve 5 Panel İç Dikiz Aynası

Dashboard with USB Port and 7 inch Speedometers with Back-up Camera / Bağlantı Noktalı Gösterge Paneli ve Geri Görüş Kameralı 7 İnç Hız Göstergeleri

With Rear Storage Box / Arka Saklama Kutusu

Hydraulic Brake System (Front Disc + Rear Drum + EMB for Parking / Hidrolik Fren Sistemi (Ön Disk + Arka Kampana + Park için EMB)

Nerf Bar / Koruyucu Bar

Stereo System(Bluetooth Contol Player+ 2 Speakers) / Stereo Sistemi (Bluetooth Kontrollü Müzik Çalar + 2 Hoparlör)

Sticker Front Hood Customized Logo / Ön Kaput Logo Sticker

14 inch Aluminium Rim with 22 inch Terrain Tire / 22 İnç Arazi Lastiği ile 14 İnç Alüminyum Jant

With Rain Cover and Premium Seat, Premium Seat with High Backrest / Yağmurluk ve Premium Koltuk, Yüksek Arkalıklı Premium Koltuk

With 3 Points Retractable Seat Belt / 3 Noktalı Geri Çekilebilir Emniyet Kemer

Rear Leaf Spring Suspension and Carbon Fiber Steering Wheel with Adaptor / Arka Yaprak Yaylı Süspansiyon ve Adaptörlü Karbon Fiber Direksiyon

EPS Steering / EPS Direksiyon

OM-200P PREMIUM



Lifted
Yükseltilmiş



Lockable Luggage Box
Kilitlenebilir Bagaj Kutusu



Electric Steering Wheel
Elektrikli Direksiyon



Ergonomic Seat with Headrest
Başlıklı Ergonomik Koltuk



14 inch Aluminum Rim - Off Road Tire
14inçAlüminyumJant - OffRoadLastığı




Lithium Battery
Lityum Batarya

ORTİ-TRUCK

TRUCK

865.500 TL

CE



72 V 200 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

HİDROLİK AÇILIR KASA SİSTEMİ HYDRAULIC TILTING CARGO BED SYSTEM



ÜST LED AYDINLATMA UPPER LED LIGHTING



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 72V 200A
Motor / Motor	AC 76,2V 7,5 KW Motor
Controller / Kontrolcü	Controller 76,2V 450A
Charger / Şarj Cihazı	On board charger 76,2V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-TRUCK TRUCK

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-RETRO

RETRO

CE

812.000 TL



51.2 V 105 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

RETRO RUHU, MODERN KONFORLA YENIDEN YORUMLANDI

RETRO SPIRIT, REIMAGINED WITH MODERN COMFORT



GENİŞLETİLMİŞ KONFOR: 6 KİŞİLİK RETRO DENEYİMİ

EXPANDED COMFORT: A 6-SEATER RETRO EXPERIENCE



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 51.2V 105A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcu	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-RETRO RETRO

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemeri	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-İTFAİYE

İTFAİYE

940.500 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



45 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

YÜKSEK BASINÇLI YANGIN SÖNDÜRME POMPA SİSTEMİ

HIGH-PRESSURE FIREFIGHTING PUMP SYSTEM



KORUYUCU EKİPMAN DOLABI

PROTECTIVE EQUIPMENT CABINET



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	45 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	1180 mm
Rear Wheel Tread / Arka Aks Mesafesi	1200 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-İTFAİYE İTFAİYE

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-MEGABÜS

MEGABÜS

CE

1.000.000 TL



72 V 200 Ah Lithium
Battery
Batarya



100-125 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

YÜKSEK BASINÇLI YANGIN SÖNDÜRME POMPA SİSTEMİ

HIGH-PRESSURE FIREFIGHTING PUMP SYSTEM



KORUYUCU EKİPMAN DOLABI

PROTECTIVE EQUIPMENT CABINET



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 72V / 200A
Motor / Motor	AC 72V 7,5KW Motor
Controller / Kontrolcü	Controller 72V 450A
Charger / Şarj Cihazı	On board charger 72V 30A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	100-125 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	1215 mm
Rear Wheel Tread / Arka Aks Mesafesi	1230 mm
Tires / Lastikler	165/70R13 tire and 13 inch aluminum rim
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-MEGABÜS MEGABÜS

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-SHUTTLE

SHUTTLE

915.000 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

14 KİŞİYE KADAR YÜKSEK TAŞIMA KAPASİTESİ

UP TO 14-PASSENGER CAPACITY



3 KİŞİLİK YAN YANA KOLTUK DÜZENİ

3-SEAT BENCH CONFIGURATION



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-SHUTTLE SHUTTLE

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemeri	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-THOR

THOR

860.000 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi




30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

ZORLU ARAZİLER İÇİN GÜÇLÜ KURTARMA SİSTEMİ

FRONT RECOVERY HOOK FOR OFF-ROAD USE



OFF-ROAD'A ÖZEL YÜKSEK TUTUNMALI LASTİKLER

OFF-ROAD SPECIFIC HIGH- TRACTION TIRES



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-THOR THOR

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ GOLF

GOLF

CE

666.500 TL



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

ENTEĞRE GOLF EKİPMAN ÇANTASI

INTEGRATED GOLF EQUIPMENT BAG



GOLF TOPU TEMİZLEME APARATI

GOLF BALL CLEANING DEVICE



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 105A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ GOLF GOLF


Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-CARE CARE

CE

1.000.000 TL



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

ENTEĞRE MEŞRUBAT DOLABI

INTEGRATED SOFT DRINK CABINET



GENİŞ HACİMLİ SAKLAMA ALANI

LARGE-CAPACITY STORAGE AREA



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-CARE CARE


Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Başamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-COOL COOL

CE

1.000.000 TL



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

ENTEĞRE BUZDOLABI SİSTEMİ

INTEGRATED REFRIGERATOR SYSTEM



SOĞUTMALI TAŞIMA VE SAKLAMA ÇÖZÜMÜ

COOLED TRANSPORT AND STORAGE SOLUTION



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chassis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

ORTİ-COOL COOL

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemeri	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

ORTİ-PLUS 6+2

6+2

CE

833.000 TL



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



45%
Climbing Clearance
Tırmanma Açısı

GENİŞ ALIŞIM JANTLAR WIDE-STANCE ALLOY WHEELS



6+2 KİŞİLİK GENİŞ OTURMA KAPASİTESİ

6+2 SEATING CAPACITY



General Specification / Genel Özellikler

Weight / Ağırlık	810 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 20A
Rear Seat / Arka Koltuk	Rear flip flop seat plastic molded
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	4
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	30 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3400*2060*1400 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chasis / Şasi	Steel
Front Wheel Tread / Ön Aks Mesafesi	970 mm
Rear Wheel Tread / Arka Aks Mesafesi	1045 mm
Tires / Lastikler	14 inch aluminium rim With 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

Configuration / Yapılandırma


Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED Side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	EPS

OM-500A

AMBULANS

838.500 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı

COMPLIANT WITH AMBULANCE REGULATIONS

AMBULANS

YÖNETMELİKLERİNE UYGUN



General Specification / Genel Özellikler

Weight / Ağırlık	800 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	4 kw Motor 48V AC 5 kw Motor 48V AC
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	2
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3230*1965*1280 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking + electronic)
Chasis / Şasi	Steel
Stretcher Dimensions / Sedye Ölçüleri	980*510*1940 mm
Front Wheel Tread / Ön Aks Mesafesi	940 mm
Rear Wheel Tread / Arka Aks Mesafesi	990 mm
Tires / Lastikler	215/40R12 23 X 8.5 - 12 22 X 11.00 - 12
Braking Distance / Fren Mesafesi	4.5 m
Mirror Options / Ayna Seçenekleri	Trafiğe çıkış onaylı aynalar Led'li Yan aynalar 5 noktalı Dikiz aynası

OM-500A AMBULANS

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking + electronic)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	Trafiğe çıkış onaylı aynalar Led'li Yan aynalar 5 noktalı Dikiz aynası
Steering Wheel / Direksiyon	Sports steering wheel

OM-500A

AMBULANS

AMBULANS YÖNETMELİKLERİNE UYGUN

COMPLIANT WITH AMBULANCE REGULATIONS



Vehicle Equipment / Araç Donanımları

DOT Wiper-equipped Front
Windshield / DOT Silecekli Ön Cam

Dashboard Panel with USB Port
/ USB'li Gösterge Paneli

-7-inch Speedometer / 7 inch Hız
Göstergesi

Music System
(Player+Bluetooth+2
Speakers)

/ Müzik Sistemi
(Teyp+Bluetooth+2 Hoparlör)

Luxury Leather Seats / Lüks Deri
Koltuk

Logo on Front Hood / Ön
Kaputta Logo

Sports Steering Wheel / Sport
Direksiyon

Rain Protection Cover / Yağmur
Koruma Branda

Three-Point Retractable Seat
Belt / Üç Noktalı Geri Sarmalı
Emniyet Kemer

Interior Lighting / İç Aydınlatma

Ambulance Equipment / Ambulans Donanımları

Oxygen Cylinder / Oksijen Tüpü

Stainless Steel Pharmacy Cabinet /
Paslanmaz Çelikten Ecza Dolabı

Pharmaceutical Supplies / Ecza
Malzemeleri

First Aid and Emergency Response
Equipment / İlk Yardım ve İlk
Müdahale Ekipmanları

Universal KS 001 Ambulance
Stretcher / Universal KS 001
Ambulans Ana Sedye

Remote-controlled Siren and
Announcement System / Kumandalı
Siren ve Anons Sistemi LED Roof

Light Bar / Ledli Tepe
Lambası

Ceiling IV Drip Holders / Tavan
Serum Askılıkları

Health Ministry Standardized
Lettering, Stripes, and Logos /
Sağlık Bakanlığı Standartlarına
Uygun Yazı, Şerit ve Logolar

Compliant with TS EN 1865-1+A1
Regulations / TS EN 1865-1+A1
Yönetmeliklerine Uygun Compliant

with TS EN 1789
Regulations / TS EN 1789
Yönetmeliklerine Uygun



Stretcher
Sedye



Beacon Lamp
Ambulans Tepe
Lambası



Oxygen Tank (Optional)
Oksijen Tüpü (Opsiyonel)



IV Fluid Hanger (Optional)
Serum Askılığı (Opsiyonel)



Foldable Seat
Katlanabilir Koltuk



Rear View Camera
Geri Görüş Kamerası



Speed and Battery Panel
Hız ve Enerji Gösterge Paneli



Reflector with Lamp
Lambalı Reflektör



Model Specific Casing
Ambulans Modeline Özel
Giydirme



Electric Steering Wheel
Elektirikli Direksiyon



Oxygen Mask (Optional)
Oksijen Maskesi (Opsiyonel)




Announcement System
Anons Sistemi

OM-1000

MINIVAN

833.000 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



65 km
Driving Distance
Sürüş Mesafesi



30 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı

OM-1000

MINİVAN

HIGH LOAD CARRYING CAPACITY

YÜKSEK YÜK TAŞIMA KAPASİTESİ



General Specification / Genel Özellikler

Weight / Ağırlık	1220 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW Motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspension
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	2
Driving Distance / Sürüş Mesafesi	65 km
Max. Speed / Maksimum Hız	30 km/h
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	280 mm
Overall Dimensions / Boyutlar	3800*1600*1300 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + EMB Parking)
Chassis / Şasi	St37 Sheetmetal
Front Wheel Tread / Ön Aks Mesafesi	1170 mm
Rear Wheel Tread / Arka Aks Mesafesi	1200 mm
Tires / Lastikler	13 inch rim
Braking Distance / Fren Mesafesi	5,5 m

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	St37 Sheetmetal
Roof / Çatı	Sheetmetal with Sunroof
Steering System / Direksiyon Sistemi	EPS Steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + EMB Parking)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Seat Belt / Emniyet Kemerleri	With three points retractable
Mirror / Ayna	View mirror
Steering Wheel / Direksiyon	EPS

ARMY-500A

AMBULANS

838.500 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı

COMPLIANT WITH AMBULANCE REGULATIONS

AMBULANS

YÖNETMELİKLERİNE UYGUN



General Specification / Genel Özellikler

Weight / Ağırlık	800 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	4 kw Motor 48V AC 5 kw Motor 48V AC
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Leaf Spring Suspansiyon
Steering / Direksiyon	EPS Steering
Passenger Capacity / Yolcu Kapasitesi	2
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3230*1965*1280 mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking + electronic)
Chasis / Şasi	Steel
Stretcher Dimensions / Sedye Ölçüleri	980*510*1940 mm
Front Wheel Tread / Ön Aks Mesafesi	940 mm
Rear Wheel Tread / Arka Aks Mesafesi	990 mm
Tires / Lastikler	215/40R12 23 X 8.5 - 12 22 X 11.00 - 12
Braking Distance / Fren Mesafesi	4.5 m
Mirror Options / Ayna Seçenekleri	Trafiğe çıkış onaylı aynalar Led'li Yan aynalar 5 noktalı Dikiz aynası

ARMY-500A AMBULANS

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers), USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking + electronic)
LED Light System / LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	Trafiğe çıkış onaylı aynalar Led'li Yan aynalar 5 noktalı Dikiz aynası
Steering Wheel / Direksiyon	Sports steering wheel

ARMY-100B FALCON

1.385.000 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25 %
Climbing Clearance
Tırmanma Açısı



Cargo Box
Taşıma Kutusu

ARMY-100B

FALCON



**AS AN OPTION,
SIM CARD CONTROLLED
REMOTE CONTROL**

**OPSİYONEL OLARAK,
SIM KART KONTROLLÜ
UZAKTAN KUMANDA**

General Specification / Genel Özellikler

Weight / Ağırlık	695 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Rear Cargo Bed / Arka Taşıma Kutusu	Dimension 600*1100*230 mm, carry capacity 100 KGS
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	2 / 2+2
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	25%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	2610*1260*1970
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	1670 mm
Front Wheel Tread / Ön Aks Mesafesi	950 mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m


Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers) , USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED Lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain Cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	Black and red
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	LED side view mirror & inner 5 panel view mirror

CABRIO-200

736.500 TL

CE



48 V 150 Ah Lithium
Battery
Batarya



65 km
Driving Distance
Sürüş Mesafesi



20 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı

CABRIO-200

General Specification / Genel Özellikler

Weight / Ağırlık	820 kg
Battery / Batarya	Lityum Batarya 48V 150A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 30A
Rear Cargo Bed / Arka Kargo Kutusu Boyutu ve Taşıma Kapasitesi	600*1100*230 mm 170 KGS
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	4 / 4+2
Driving Distance / Sürüş Mesafesi	65 km
Max. Speed / Maksimum Hız	20 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	4.5m
Max. Climbing Ability / Maksimum Tırmanma Açısı	20%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	3774*1260*2075mm
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	2420mm
Front Wheel Tread / Ön Aks Mesafesi	950mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 20 inch low profile heavy duty tire
Braking Distance / Fren Mesafesi	6m

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashbord / Gösterge Paneli	Stereo system (bluetooth control player + 2 speakers) , USB port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic with solar panel
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Nerf Bar / Yan Basamak	On both sides of the car
Rain cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	White and red
Seat Belt / Emniyet Kemerı	With three points retractable
Mirror / Ayna	LED side view mirror & inner 5 panel view mirror
Steering Wheel / Direksiyon	Sports steering wheel



SILENT DRIVING
SESSİZ SÜRÜŞ

CABRIO MODELS




CABRIO-100



CABRIO-200



CABRIO-300



48 V 150 Ah Lithium
Battery
Batarya



65 km
Driving Distance
Sürüş Mesafesi



20 km/h
Max. Speed
Maksimum Hız



20%
Climbing Clearance
Tırmanma Açısı



INNOVATIVE ELECTRIC VEHICLES
YENİLİKÇİ ELEKTRİKLİ ARAÇLAR

OM-MINI-100-BLACK ELA

683.000 TL

CE



48 V 105 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25%
Climbing Clearance
Tırmanma Açısı

UPPER LIGHTS

ÜST IŞIKLAR



GLOVE BOX

TORPİDO KUTUSU



General Specification / Genel Özellikler

Weight / Ağırlık	695 kg
Battery / Batarya	Lityum Batarya 48V 105A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Golf Basket / Golf Sepeti	-
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	2
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	25%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	2180*1800
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	1450 mm
Front Wheel Tread / Ön Aks Mesafesi	950 mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

OM-MİNİ-100-BLACK ELA

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers) , USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED Lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Rain Cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	Black - red - white
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	LED side view mirror

OM-MİNİ-100-PINK NİL

683.000 TL

CE



48 V 105 Ah Lithium
Battery
Batarya



70 km
Driving Distance
Sürüş Mesafesi



25 km/h
Max. Speed
Maksimum Hız



25%
Climbing Clearance
Tırmanma Açısı

UPPER LIGHTS

ÜST IŞIKLAR



GLOVE BOX

TORPİDO KUTUSU



General Specification / Genel Özellikler

Weight / Ağırlık	695 kg
Battery / Batarya	Lityum Batarya 48V 105A
Motor / Motor	AC 48V 5 KW motor
Controller / Kontrolcü	Controller 48V 450A
Charger / Şarj Cihazı	On board charger 48V 25A
Golf Basket / Golf Sepeti	-
Suspension / Süspansiyon	Front: McPherson independent suspension Rear: Trail arm suspension
Steering / Direksiyon	Self compensating "rack & pinion" steering
Passenger Capacity / Yolcu Kapasitesi	2
Driving Distance / Sürüş Mesafesi	70 km
Max. Speed / Maksimum Hız	25 km/h
Minimum Turning Radius / Minimum Dönüş Yarıçapı	3.1m
Max. Climbing Ability / Maksimum Tırmanma Açısı	25%
Minimum Ground Clearance / Minimum Yerden Yükseklik	170 mm
Overall Dimensions / Boyutlar	2180*1800
Brakes / Fren	Hydraulic brake system (front disc + rear drum + foot brake for parking)
Chasis / Şasi	Steel
Wheel Base / Yan Aks Mesafesi	1450 mm
Front Wheel Tread / Ön Aks Mesafesi	950 mm
Rear Wheel Tread / Arka Aks Mesafesi	1000 mm
Tires / Lastikler	12 inch aluminium rim with 22 inch terrain tire
Braking Distance / Fren Mesafesi	4.5 m

OM-MİNİ-100-PINK NİL

Configuration / Yapılandırma

Windshield / Ön Cam	DOT glass windshield with wiper
Dashboard / Gösterge Paneli	Stereo system (Bluetooth control player + 2 speakers) , USB Port and 7 inch speedometers with back-up camera
Reversing Alarm / Geri Vites Alarmı	With
Body / Gövde	Fiberglass / Plastic
Roof / Çatı	Plastic
Steering System / Direksiyon Sistemi	Self compensating "rack & pinion" steering
Brake System / Fren Sistemi	Hydraulic brake system (front disc + rear drum + foot brake for parking)
LED Light System/ LED Işık Sistemi	Complete headlights, 2 front turn signals, 2 taillights (each combined 1 brake light with 1 turn signal, LED Lights), with DC-DC converter (converting from 48V to 12V), horn.
Accelerator / Gaz Pedalı	Adjustable inductive accelerator continuously variable speed system
Driving Mode / Sürüş Modu	Electromechanical integration
Rear Axle / Arka Aks	Integrated
Rain Cover / Yağmurluk	Transparent rain cover
Premium Seat / Premium Koltuk	Black - red - white
Seat Belt / Emniyet Kemer	With three points retractable
Mirror / Ayna	LED side view mirror



ORTİMOBİL

Premium Electric Cars

www.orticars.com



ALEXA

OMOBİL

OCAR

Ortimobil reserves the right to make changes to the parts and accessories purchased // Ortimobil, satınaldığı parça ve aksesuarlarda, değişiklik yapma hakkına sahiptir.

ORTİ MOBİL ELEKTRİKLİ ARAÇLAR SAN. ve TİC. LTD. ŞTİ. Have all the copyrights of the information and pictures provided in this catalogue. We have all the rights to do necessary adjustments on the product & these changes may not reflect on the catalogue at the moment of production. We will do our utmost to inform you all the changes if and when.

Sales & Showroom Address:

Mersin Tarsus 2. Organize Sanayi Bölgesi Burhan OSB Mah. 8. Cad No:5
Akdeniz MERSİN/TURKEY
Tel: +90 324 502 00 60-61 Direct GSM: +90 533 314 50 24
Gsm: +90 532 154 94 19 (Santral / Central)
E-mail: info@ortimobil.com

Factory Address:

Mersin Tarsus 2. Organize Sanayi Bölgesi Burhan OSB
Mah. 8. Cad. No: 26
Akdeniz MERSİN/TURKEY
Tel: +90 324 502 00 60-61 Direct GSM: +90 533 314 50 24
Gsm: +90 532 154 94 19 (Santral / Central)

